



### Section 1 - Product and Company Identification

Material Name - Durum Flour
Chemical Category - Food Ingredient

Manufacturer - Ardent Mills, LLC; Ardent Mills, ULC: Molinos de Puerto Rico, LLC

1875 Lawrence Street Denver, CO 80202 www.ardentmills.com

Telephone

General - Call your Ardent Mills' Customer Service Rep

Emergency - 1-800-424-9300 CHEMTREC

Preparation Date - 10/15/2014 Last Revision Date - 09/24/2020

#### Section 2 - Hazards Identification

# Emergency Overview WARNING

### May form combustible dust concentrations in air (during processing).

**Prevention** - Avoid generating fine dust dispersed in air in sufficient concentrations, and in the

presence of an ignition source

**Response** - When responding to explosion or any subsequent fire, DO NOT use high pressure

extinguishing agent as this may spread the dust and may create an additional ignitable

dust cloud.

Storage/Disposal - Dispose of content and/or container in accordance with local, regional, national, and/or

international regulations.

**Potential Health Effects** 

Eyes - Direct contact with eyes may cause temporary irritation

Skin - None known.

Inhalation – Dust may irritate the respiratory system.

**Ingestion** – Expected to be a low ingestion hazard.

**Chronic Effects** - May cause allergic reaction in persons sensitive to wheat proteins.

**Environmental Effects** - Not expected to be harmful to aquatic organisms.

**Physical Descriptions** 


Form - Solid

Color – Creamy yellow Odor – No data available Flash Point – Not relevant

WHMIS - Other Toxic Effects - D2A

EU - Sensitizer - R42

**GHS** - Specific Target Organ Toxicity Single Exposure – Category 3; Respiratory Tract Irritation, Skin Corrosion/Irritation – Category 3; Serious Eye Damage, Eye Irritation – Category 2B; Respiratory Sensitizer – Category 1



#### **Potential Health Effects**

#### Inhalation

Acute (immediate) – May cause irritation

Chronic (delayed) – According to ACGIH, repeated and prolonged exposure to flour may cause lung effects referred to as "Baker's Lungs" or allergic sensitization resulting in what is referred to as "Baker's Asthma".

#### Skin

Acute (immediate) – Under normal conditions of use, no health effects are expected. Chronic (delayed) – Under normal conditions of use, no health effects are expected.

#### Eye

Acute (immediate) – May cause irritation

Chronic (delayed) – Under normal conditions of use, no chronic effects are expected.

#### Ingestion

Acute (immediate) – No effects are expected for most people. Listed as food allergen. Chronic (delayed) – Under normal conditions of use, no chronic effects are expected.

### Section 3 - Composition/Information on Ingredients

| Hazardous Components |             |           |           |  |          |  |
|----------------------|-------------|-----------|-----------|--|----------|--|
| Chemical<br>Name     | Identifiers | %(weight) | LD50/LC50 | Classifications According to<br>Regulation/Directive | Comments |  |
| Durum flour          | NDA         | 100%      | NDA       |  |          |  |

#### Section 4 - First Aid Measures

**Inhalation** - Get medical attention if symptoms occur. Remove to fresh air.

**Skin** - No data available.

**Eye** - Get medical attention if symptoms occur. If contact with eyes directly, flush with gently

flowing fresh water thoroughly.

**Ingestion** - Get medical attention if symptoms occur.

### **Section 5 – Fire Fighting Measures**

Extinguishing Media

**Unsuitable Extinguishing Media** 

**Firefighting Procedures** 

- Dry chemical, CO2, foam or water fog.

- High pressure water spray may cause a combustible dust cloud.

- FIRES INVOLVING TANKS OR CAR/TRAILER LOADS: ALWAYS stay away from tanks engulfed in fire. LARGE FIRES: Move containers from

fire area if can accomplish without risk.

**Unusual Fire & Explosion Hazards** 

- Fine dust (typically less than 420 microns) associated with this product may represent a combustible dust hazard. Ignition energy (Kst value) vary with particle size.

**Hazardous Combustion Products** 

**Protection of Firefighters** 

Flash Point Explosion Limits - None known

- Wear positive pressure self-contained breathing apparatus (SCBA).

- Not relevant.

**Upper** - Not relevant **Lower** - Not relevant

Auto-Ignition Temperature - 390 to 500° F (199 to 260° C)

#### Section 6 - Accidental Release Measures

Personal Precautions
Emergency Procedures
Environmental Precautions
Containment/Clean-up Measures

- No data available.

- Keep unauthorized personnel away.

- Avoid run off to waterways and sewers.

- Carefully shovel or sweep up spilled material and place in suitable container. Use appropriate Personal Protective Equipment (PPE)

Prohibited Materials - No data available.

### Section 7 – Handling and Storage

Handling

- Follow good manufacturing practices when handling this product. Minimize dust generation and accumulation. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Refer to NFPA 61: Standard for the Prevention of Fires and Dust Explosions in the Agricultural and Food

**Processing Facilities** 

Storage **Special Packaging Materials Incompatible Materials or Ignition Sources** 

- No data available. - None required.

- None known.

### Section 8 – Exposure Controls/Personal Protection

**Personal Protective Equipment** 

Respiratory

- Follow the OSHA respirator regulations found in 29 CFR 1910.134 or the European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator is exposure limits are exceeded or symptoms are experienced.

Eye/Face Hands

- Protective safety glasses recommended.

Skin/Body

No data available.

**General Industrial Hygiene** 

- None required for normal handling.

Considerations

- Persons who handle grain products must follow good hygienic practices (i.e. wash frequently, and wear clean clothing)

**Engineering Measures/Controls** 

- Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values.

| Exposure Limits/Guidelines |        |       |                            |  |  |  |  |
|----------------------------|--------|-------|----------------------------|--|--|--|--|
|                            | Result | ACGIH | United States - California |  |  |  |  |
| Durum Flour                | TWAs   | ,     | 0.5 mg/m3 PEL              |  |  |  |  |
|                            |        |       | as Flour dust              |  |  |  |  |

#### **Exposure Control Notations**

ACGIH - Milled Wheat Products as Flour dust: Sensitizers

#### **Exposure Limits Supplemental**

ACGIH - Milled Wheat Products as Flour dust: TLV Basis - Critical Effects: (asthma, bronchitis, upper respiratory tract irritation)

#### **Environmental Exposure Controls**

No data available

## **Section 9 – Physical and Chemical Properties**

| Material Description                                     |                    |                                       |                               |
|--|--------------------|---------------------------------------|-------------------------------|
| Physical Form  | Solid              | Appearance/Description                | No data available.            |
| Color  | Creamy yellow      | Odor                                  | No data available.            |
| Taste  | No data available. | Particulate Type                      | Not relevant                  |
| Particulate Size   | Not relevant       | Aerosol Type                          | Not relevant                  |
| Odor Threshold   | Not relevant       | Physical and Chemical Properties      | Not relevant                  |
| General Properties                                       |                    |                                       |                               |
| Boiling Point  | Not relevant       | Melting Point                         | Not relevant                  |
| Decomposition<br>Temperature                             | Not relevant       | Heat of Decomposition                 | Not relevant                  |
| рН   | Not relevant       | Specific Gravity/Relative<br>Density  | Not relevant                  |
| Density  | Not relevant       | Bulk Density                          | Not relevant                  |
| Water Solubility   | Not relevant       | Solvent Solubility                    | Not relevant                  |
| Viscosity  | Not relevant       |                                       |                               |
| Volatility   |                    |                                       |                               |
| Vapor Pressure   | Not relevant       | Vapor Density                         | Not relevant                  |
| <b>Evaporation Rate</b>                                  | Not relevant       | VOC (Wt.)                             | Not relevant                  |
| VOC (Vol.)   | Not relevant       | Volatiles (Wt.)                       | Not relevant                  |
| Volatiles (Vol.)   | Not relevant       |                                       |                               |
| Flammability   |                    |                                       |                               |
| Flash Point  | Not relevant       | UEL                                   | Not relevant                  |
| LEL  | Not relevant       | Auto-Ignition                         | 390 to 500 F(199 to<br>260 C) |
| Self-Accelerating<br>Decomposition<br>Temperature (SADT) | Not relevant       | Heat of Combustion<br>(ΔHc)           | Not relevant                  |
| Burning Time   | Not relevant       | Flame Duration                        | Not relevant                  |
| Flame Height   | Not relevant       | Flame Extension                       | Not relevant                  |
| Ignition Distance  | Not relevant       |                                       |                               |
| Environmental  |                    |                                       |                               |
| Half-Life  | Not relevant       | Octanol/Water Partition coefficient   | Not relevant                  |
| Coefficient of water/oil distribution                    | Not relevant       | Bioaccumulation Factor                | Not relevant                  |
| Bioconcentration<br>Factor                               | Not relevant       | Biochemical Oxygen<br>Demand BOD/BOD5 | Not relevant                  |
| Chemical Oxygen<br>Demand                                | Not relevant       | Persistence                           | Not relevant                  |
| Degradation  | Not relevant       |                                       |                               |

### Section 10 – Stability and Reactivity

Stability

- Stable when kept dry under normal temperatures and pressures.

**Hazardous Polymerization** Conditions to Avoid **Incompatible Materials** 

- Hazardous polymerization will not occur. - High humidity and/or wet conditions.

Hazardous Decomposition Products - None known.

- None known.

### Section 11 - Toxicological Information

Other Information

- This product has not been tested as a separate entity. No specific toxicological data is available for the ingredients.

### Section 12 - Ecological Information

**Ecological Fate** - No data available Persistence/Degradability No data available **Bioaccumulation Potential** - No data available **Mobility in Soil** - No data available

Other Information - Product has not been studied as distributed

#### Section 13 - Disposal Considerations

**Product** 

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

### Section 14 – Transportation Information

DOT **IATA**  - Not regulated as a hazardous material. - Not regulated as a dangerous good.

### Section 15 – Regulatory Information

Not any known regulatory list for hazardous materials.

#### Section 16 - Other Information

**Preparation Date Last Revision Date Disclaimer/Statement** 

- 10/01/2014 - 09/24/2020

Of Liability

- This Safety Data Sheet is provided as a courtesy to Ardent Mills' customers. The information provided herein is provided in good faith and is believed accurate and reliable as of the date indicated. However, no representation, warranty, or guarantee of any kind, expressed or implied, is made as to the accuracy, reliability, correctness, or completeness. Neither the above-named supplier nor any of its subsidiaries assumes any responsibility and/or liability for any loss, damage, injury, expense, direct or consequential, arising out of the use of the information contained herein. Final determination of the completeness and suitability of such information, and the suitability and safe conditions for use of any material is the sole responsibility of the user and user assumes all liability for loss, damage, injury, and/or expense arising out of the improper use of this material. No warranty, expressed or implied, regarding the material described herein shall be created by or inferred from any statement or omission in this SDS.